## THE CORPORATION OF THE CITY OF NORTH BAY

## BY-LAW NO. 89-89

BEING A BY-LAW TO AMEND BY-LAW NO. 201-88
BEING A BY-LAW TO AUTHORIZE THE INSTALLATION
OF A LEACHATE COLLECTION SYSTEM AND MONITORING
WELLS AT THE MARSH DRIVE LANDFILL SITE IN
THE CITY OF NORTH BAY.

WHEREAS the Municipal Act, R.S.O., 1980, Chapter 302, Section 210(83), authorizes the Council to pass a By-Law for the purpose therein stated;

AND WHEREAS it is deemed desirable to amend By-Law No. 201-88 to increase the net debentured cost from \$250,000.00 to \$500,000.00.

NOW THEREFORE THE COUNCIL OF THE CORPORATION OF THE CITY OF NORTH BAY HEREBY ENACTS AS FOLLOWS:

- 1. That Clause 9 of By-Law No. 201-88 be and is hereby amended by deleting the figure \$250,000.00 in line 8 and inserting in lieu thereof the figure \$500,000.00.
- 2. That Schedule "A" to By-Law No. 201-88 attached thereto and forming part of that By-Law be deleted and the Schedule "A" attached hereto and forming part of this By-Law be inserted in lieu thereof.
- 3. That this By-Law shall not become effective until approval in writing has been secured from the Ontario Municipal Board pursuant to Section 64(1) of the Ontario Municipal Board Act, R.S.O., 1980, Chapter 347.

READ A FIRST TIME IN OPEN COUNCIL THE 5TH DAY OF JUNE, 1989.

READ A SECOND TIME IN OPEN COUNCIL THE 5TH DAY OF JUNE, 1989.

READ A THIRD TIME IN OPEN COUNCIL AND ENACTED AND PASSED THIS 8TH DAY OF AUGUST , 1989.

Stan D Lawly

CITY CLERK

THIS IS SCHEDULE "A" TO BY-LAW NO. 89-89 OF THE CORPORATION OF THE CITY OF NORTH BAY

## DESCRIPTION OF WORKS:

The installation of a leachate collection system and monitoring wells at the Marsh Drive Landfill Site in the City of North Bay.

•	collection system monitoring wells contingencies forcemain	\$ 260,000.00 30,000.00 70,000.00 650,000.00
Interim Hauling/Recycl Engineering Finance	ing TOTAL COST	$\begin{array}{r} & 69,000.00 \\ & 114,000.00 \\ & \underline{52,000.00} \\ & 51,245,000.00 \end{array}$
Less M.O.E. Waste Management Program Grand		\$ 745,000.00 \$ 500,000.00